

Job Traveler

Job Number: 231755-06

Due Date: 11/08/2023



Sold To: EDGEN MURRAY CORPORATION
18444 HIGHLAND ROAD
P.O. BOX 84160
BATON ROUGE, LA 70884-4160
United States

Ship To: , LA
United States

Order No: 231755

Dated: 09/12/2023

Quote No: 20723

Customer: EDGEN119955

PO Num: RMS-300904

Ship Via: TIFFANY.BAKER@EDGENMURR

Priority: 3 - STANDARD

Part Number: *3CR2412Y

Product Code: CONCENTRIC REDUCER

Description: CR 24X12 .562 X .375-
WPHY65

Master Job No:

TAG: PUR-5020-2010483
LINE 12, EN-351

ES-PF1.14

Total Qty Open: 1 EA

Qty Posted: 0 EA

Qty To Make: 1

Start Date: 09/26/2023

Phone: 2,257,569,868

Contact: CLAIRE BLAY

Fax:

Job Notes

BCLD
B10608-1
CUT (1) @ 22" FROM 120" PIECE

Routing

Routed By:

Quantity 1

Step No Dept	Work Cntr / Vendor Operation	Description	Setup Time	Cycle Time	Total Time	Pieces Per Hour	--- Scheduled --- Start End		Run Quantity
10	FORGE 10 CYLINDER CUT	Cylinder Cut Cylinder Cut					09/26/2023	09/26/2023	1



20	FORGE 4 HAMMER	Large Hammer Hammer					10/09/2023	10/09/2023	1
----	-------------------	------------------------	--	--	--	--	------------	------------	---



Job Number: 231755-06

Report Generated: 09/14/2023 8:51:04 AM

Page 1 of 4

9/18

30	FORGE 7 HEAT TREAT	Heat Treat Heat Treat	08/21/2024	08/21/2024	1
					
40	FORGE 5-6 FORGE BLAST	Forge Shotblast Forge Blast	08/21/2024	08/21/2024	1
					
50	PIPE 13 X RAY	Pipe X Ray X-Ray	08/21/2024	08/21/2024	1
					
60	E1 MACHINING	E1 Extender Expander	08/21/2024	08/21/2024	1
					
70	M9 MACHINING	M9 Medium Bullard Machining	02/17/2025	03/11/2025	1
					
80	STAMP 1 STAMP	Stamping	03/11/2025	03/11/2025	1
					
90	INSPECT 1 INSPECTION	Inspection 1	03/11/2025	03/11/2025	1
					
100	SHIPPING SHIPPING	Shipping	03/11/2025	03/11/2025	1
					

Time per Piece (HR):	0.00	0.00	0.00	0.00
Total Time for Job (HR):	0.00	0.00	0.00	

Materials List

<u>Quantity</u>						Quantity:	1
<u>Needed</u>	<u>On Hand</u>	<u>Posted</u>	<u>Short</u>	<u>Unit</u>	<u>Description</u>	<u>Sub- Assy</u>	<u>Vendor</u>
22.00000	293.00000	22.00000	0.00000	EA	0PI247552-W	NO	SFI
					PI0 24-.75-Y52 W		
					Quantities from Bins/Lot Number:		
					BCLD (22.0)		

Marking Information:



FLEET-LINE

MADE IN USA
STEEL FORGINGS

BCLD
24X12
.562X.375
WPHY65
231755-06

DOCUMENT PACKAGE

Fitting Description _____

SFI Serial Number _____

231755-06

Spectra Serial Number PO _____

PUR-5020-2010483/12/EN-351

~~ME inspection report.~~

MTR's

Reader Sheet for Radiography

Inspection sheet with actual dimensions

Heat Treat charts

Furnace Uniformity & Quarterly Recorder Calibration records

DIMENSIONAL INSPECTION SHEET FOR TEE

Does stamping match traveler?

____' ____' ____' ____' ____

What is actual run bevel thickness?

____' ____' ____' ____' ____

What is actual outlet bevel thickness?

____' ____' ____' ____' ____

What is the length of the tee?

____' ____' ____' ____' ____

What is actual ID of run at bevel?

(Check two places)

____' ____' ____' ____' ____

What is actual ID of outlet?

(Check two places)

____' ____' ____' ____' ____

What is M dimension?

____' ____' ____' ____' ____

Is outlet centered?

Are all three bevels $30^{\circ}+5^{\circ}/-0^{\circ}$?

____' ____' ____' ____' ____

SFI serial number stamped on it?

____' ____' ____' ____' ____

Spectra serial number stamped on it?

____' ____' ____' ____' ____

Have all areas needing cosmetic grinding been marked?

____' ____' ____' ____' ____

Grind weld seam inside and outside flush for minimum 2" from ends.

FORM BY EXTRUSION PER CARD: _____

PRE CUT ENDS

IF ORDER SIZE IS LARGER THAN FURNACE LOAD, SERIALIZE UNDER CUTTER STAMP PRIOR TO HEAT TREAT

HEAT TREATMENT PER QCP 8.1 REV.1: (WITH TEST MAT'L B- _____)

HEAT TREAT 1/2 HR @ 1650°F **WATER QUENCH** FURNACE LOAD # _____

TEMPER 3/4 HR @ 1300 °F - AIR COOL - FURNACE LOAD# _____

IF QUENCH AND TEMPERED, RECORD THE FOLLOWING

TIME FROM FURNACE TO QUENCH TANK _____

TEMPERATURE OF QUENCH TANK _____

SHOTBLAST TO NEAR WHITE FINISH

100% RADIOGRAPH WELD SEAM PER SPEC. XL-RT-100 (LATEST REVISION) _____

DO NOT MACHINE UNTIL TESTING COMPLETE

MACHINE PER MSS-SP75-19 EXCEPT 14° MIN., 18° MAX INTERNAL TAPER

12.75 in. (SMALL) END-STRAIGHT BORE I.D. TO 11.750 ± 1/32
(FACE, TAPER BORE, AND BEVEL)

~~ME ALL WELD BEVELS PER SPEC. XL-MT-100 (LATEST REVISION) AND PF1.1 PARA 7A10 (5/28/18) ATTACH REPORTS~~

STAMP PER MSS-SP75-19 ON O.D. A MINIMUM OF 2" FROM BEVEL & WELD SEAM

SFI SERIAL NUMBER 231755-06

SPECTRA SERIAL NUMBER PO PUR-5020-2010483/12/EN-351

HARDNESS TEST EACH PIECE (235 BHN MAX): _____

PAINT EXTERIOR ONLY - AFTER INSPECTION

PAINT RED FLOURESCENT STRIPE DOWN LENGTH OF FITTING IF CE> .42 CE= _____

END PROTECT/PALLETIZE

CUSTOMER INSPECTION MAY BE REQUIRED

MPS & ITP FOR PF1.9 REV. 0 IS APPROVED 3/1/12 PER REX LITRELL, SPECTRA ENERGY

Base and weld charpies min 20/15

CE .45 or less

ME bevels

Base hardness

QT can only be used for Y52 and up

S:\PUBLIC\TAVELER\Spectra PF1.14\PF1.14 Travelers.XLSX