

Job Traveler

Job Number: 231755-14



Due Date: 11/08/2023

Sold To: EDGEN MURRAY CORPORATION
18444 HIGHLAND ROAD
P.O. BOX 84160
BATON ROUGE, LA 70884-4160
United States

Ship To: , LA
United States

Order No: 231755

Dated: 09/12/2023

Quote No: 20723

Customer: EDGEN119955

PO Num: RMS-300904

Ship Via: TIFFANY.BAKER@EDGENMURR.

Priority: 3 - STANDARD

Part Number: *3CR2412Y

Product Code: CONCENTRIC REDUCER

Description: CR 24X12 .562 X .375-
WPHY65

Master Job No:

TAG: PUR-5020-2010483
LINE 23, EN-531PUR-5020-2010483
LINE 23, EN-532

ES-PF1.14

Total Qty Open: 2 EA

Qty Posted: 0 EA

Qty To Make: 2

Start Date: 09/27/2023

Phone: 2,257,569,868

Contact: CLAIRE BLAY

Fax:

Job Notes

BCLD
B10608-1
CUT (2) @ 22" EACH FROM 120" CYLINDER

Routing

Routed By:

Quantity 2

Step No Dept	Work Cntr / Vendor Operation	Description	Setup Time	Cycle Time	Total Time	Pieces Per Hour	--- Scheduled --- Start End		Run Quantity
10	FORGE 10 CYLINDER CUT	Cylinder Cut Cylinder Cut					09/27/2023	09/27/2023	2
20	FORGE 4 HAMMER	Large Hammer Hammer					11/06/2023	11/07/2023	2



Job Number: 231755-14

Report Generated: 09/14/2023 8:51:08 AM

Page 1 of 4

30	FORGE 7 HEAT TREAT	Heat Treat Heat Treat	08/28/2024	08/29/2024	2
					
40	FORGE 5-6 FORGE BLAST	Forge Shotblast Shot Blast in Forge	08/29/2024	08/29/2024	2
					
50	PIPE 13 X RAY	Pipe X Ray X-ray weld	08/29/2024	09/02/2024	2
					
60	E1 MACHINING	E1 Extender Expander	09/02/2024	09/02/2024	2
					
70	M1 MACHINING	M1 Big Mill Machining	09/02/2024	09/02/2024	2
					
80	STAMP 1 STAMP	Stamping Stamping	09/02/2024	09/02/2024	2
					
90	INSPECT 1 INSPECTION	Inspection 1 Inspection	09/02/2024	09/02/2024	2
					
100	SHIPPING SHIPPING	Shipping Shipping	09/02/2024	09/02/2024	2
					

Time per Piece (HR):	0.00	0.00	0.00	0.00
Total Time for Job (HR):	0.00	0.00	0.00	

Materials List

Quantity					Quantity: 2	
<u>Needed</u>	<u>On Hand</u>	<u>Posted</u>	<u>Short</u>	<u>Unit</u>	<u>Description</u>	<u>Sub-Assy</u>
45.00000	316.00000	45.00000	0.00000	EA	0PI247552-W	NO
					PI0 24-.75-Y52 W	
					Quantities from Bins/Lot Number:	
					BCLD (45.0)	
						<u>Vendor</u>
						SFI

Marking Information:



FLEET-LINE

MADE IN USA
STEEL FORGINGS

BCLD
24X12
.562X.375
WPHY65
231755-14

DOCUMENT PACKAGE

Fitting Description _____

SFI Serial Number 231755-14

Spectra Serial Number PO SEE FRONT SHEET

~~ME inspection report~~

MTR's

Reader Sheet for Radiography

Inspection sheet with actual dimensions

Heat Treat charts

Furnace Uniformity & Quarterly Recorder Calibration records

DIMENSIONAL INSPECTION SHEET FOR TEE

Does stamping match traveler? _____' _____' _____' _____' _____'

What is actual run bevel thickness? _____' _____' _____' _____' _____'

What is actual outlet bevel thickness? _____' _____' _____' _____' _____'

What is the length of the tee? _____' _____' _____' _____' _____'

What is actual ID of run at bevel?
(Check two places) _____' _____' _____' _____' _____'

What is actual ID of outlet?
(Check two places) _____' _____' _____' _____' _____'

What is M dimension? _____' _____' _____' _____' _____'

Is outlet centered? _____' _____' _____' _____' _____'

Are all three bevels $30^{\circ}+5^{\circ}/-0^{\circ}$? _____' _____' _____' _____' _____'

SFI serial number stamped on it? _____' _____' _____' _____' _____'

Spectra serial number stamped on it? _____' _____' _____' _____' _____'

Have all areas needing cosmetic grinding been marked? _____' _____' _____' _____' _____'

Grind weld seam inside and outside flush
for minimum 2" from ends.

FORM BY EXTRUSION PER CARD: _____

PRE CUT ENDS

IF ORDER SIZE IS LARGER THAN FURNACE LOAD, SERIALIZE UNDER CUTTER STAMP PRIOR TO HEAT TREAT

HEAT TREATMENT PER QCP 8.1 REV.1: (WITH TEST MAT'L B- _____)

HEAT TREAT 1/2 HR @ 1650°F **WATER QUENCH** FURNACE LOAD # _____

TEMPER 3/4 HR @ 1300 °F - AIR COOL - FURNACE LOAD# _____

IF QUENCH AND TEMPERED, RECORD THE FOLLOWING

TIME FROM FURNACE TO QUENCH TANK _____

TEMPERATURE OF QUENCH TANK _____

SHOTBLAST TO NEAR WHITE FINISH

100% RADIOGRAPH WELD SEAM PER SPEC. XL-RT-100 (LATEST REVISION) _____

DO NOT MACHINE UNTIL TESTING COMPLETE

MACHINE PER MSS-SP75-19 EXCEPT 14° MIN., 18° MAX INTERNAL TAPER

12.75 in. (SMALL) END-STRAIGHT BORE I.D. TO 11.750 ± 1/32
(FACE, TAPER BORE, AND BEVEL)

~~ME ALL WELD BEVELS PER SPEC. XL-MT-100 (LATEST REVISION) AND PF1.1 PARA 7A10 (5/28/18) ATTACH REPORTS~~

STAMP PER MSS-SP75-19 ON O.D. A MINIMUM OF 2" FROM BEVEL & WELD SEAM

SFI SERIAL NUMBER 231755-14

SPECTRA SERIAL NUMBER PO SEE FRONT SHEET

HARDNESS TEST EACH PIECE (235 BHN MAX): _____

PAINT EXTERIOR ONLY - AFTER INSPECTION

PAINT RED FLOURESCENT STRIPE DOWN LENGTH OF FITTING IF CE> .42 CE= _____

END PROTECT/PALLETIZE

CUSTOMER INSPECTION MAY BE REQUIRED

MPS & ITP FOR PF1.9 REV. 0 IS APPROVED 3/1/12 PER REX LITTRELL, SPECTRA ENERGY

Base and weld charpies min 20/15

CE .45 or less

ME bevels

Base hardness

QT can only be used for Y52 and up

S:\PUBLIC\TAVELER\Spectra PF1.14\PF1.14 Travelers.XLSX