Job Traveler

Due Date: 11/08/2023

Job Number: 231756-03

Sold EDGEN MURRAY CORPORATION

To: 18444 HIGHLAND ROAD

P.O. BOX 84160 BATON ROUGE, LA 70884-4160

United States

Order No: 231756

Dated: 09/12/202:

United States

, LA

Ship To:

Quote No: 20723

Customer: EDGEN119955

PO Num: RMS-300903

Ship Via: TIFFANY.BAKER@EDGENMURR.

Priority: 3 - STANDARD

Part Number: *3CR3620Y

Product Code: CONCENTRIC REDUCER

Description: CR 36X20 .750 X .500-

WPHY70

Master Job No:

TAG: PUR-5020-2010480

LINE 21, AR-491

ES-PF1.14

Total Qty Open: 1 EA

Qty Posted: 0 EA Qty To Make:

Start Date: 09/27/2023

Contact: CLAIRE BLAY

Phone: 2,257,569,868

Fax:

Job Notes

BCOL

B10844 - TESTING REQ'D CUT (1) @ 25.75" FROM 135" CYLINDER

CYLINDERS IN PROCESS ON 231758-01

Routing

Routed By:

Quantity 1

Step No Dept

Work Cntr / Vendor

Operation

Description

Setup **Time** Cycle Time Total Time

Pieces Per Hour --- Scheduled ---

Start

Run Quantity

10

FORGE 10

Cylinder Cut

09/27/2023 09/27/2023

End

20

CYLINDER CUT

Cylinder Cut

1



FORGE 4 **HAMMER** Large Hammer

Hammer

11/14/2023 11/15/2023

1





Job Number: 231756-03

Report Generated: 09/14/2023 9:13:10 AM





100 SHIPPING SHIPPING

Shipping Shipping

09/05/2024 09/05/2024





Time per Piece (HR): Total Time for Job (HR): 0.00 0.00 0.00 0.00 0.00 0.00 0.00

Job Number: 231756-03

Report Generated: 09/14/2023 9:13:10 AM

1

Materials List

Job Number: 231756-03

Report Generated: 09/14/2023 9:13:10 AM

Marking Information:



FLEET-LINE MADE IN USA STEEL FORGINGS

BCOL 36X20 .750X.500 WPHY70 231756-03

DOCUMENT PACKAGE

Fitting Description		
SFI Serial Number	231756-03	_
Spectra Serial Number	PO PUR-5020	-2010/21/AR-491
ME inspection repor	t and the second	
MTR's		
Reader Sheet for Ra	diography	
Inspection sheet wi	th actual dimensions	
Heat Treat charts		
Furnace Uniformity	& Quarterly Recorder	Calibration records

DIMENSIONAL INSPECTION SHEET FOR TEE

Does stamping match traveler?		
What is actual run bevel thickness?		
What is actual outlet bevel thickness?		
What is the length of the tee?	,	
What is actual ID of run at bevel? (Check two places)		
What is actual ID of outlet? (Check two places)	, , , , , , , , , , , , , , , , , , ,	
What is M dimension?	· · · · · · · · · · · · · · · · · · ·	
Is outlet centered?		
Are all three bevels 30°+5°/ -0°?		
SFI serial number stamped on it?		
Spectra serial number stamped on it?		 .,
Have all areas needing cosmetic grinding been marked? Grind weld seam inside and outside flush		
for minimum 2" from ends.		

FORM BY EXTRUSION PER CARD:			
PRE CUT ENDS			
IF ORDER SIZE IS LARGER THAN FURNACE LOAD, SERIALIZE UNDER CUTTER STAMP PRIOR TO HEAT TREAT			
HEAT TREATMENT PER QCP 8.1 REV.1: (WITH TEST MAT'L B)			
HEAT TREAT HR @ 1650°F WATER QUENCH FURNACE LOAD #			
TEMPER 1 HR @ 1200 °F - AIR COOL - FURNACE LOAD#			
IF QUENCH AND TEMPERED, RECORD THE FOLLOWING			
TIME FROM FURNACE TO QUENCH TANK			
TEMPERATURE OF QUENCH TANK			
SHOTBLAST TO NEAR WHITE FINISH			
100% RADIOGRAPH WELD SEAM PER SPEC. XL-RT-100 (LATEST REVISION)			
DO NOT MACHINE UNTIL TESTING COMPLETE			
MACHINE PER MSS-SP75-19 EXCEPT 14° MIN., 18° MAX INTERNAL TAPER			
20 in. (SMALL) END-STRAIGHT BORE I.D. TO 18.500 ± 1/16 (FACE, TAPER BORE, AND BEVEL)			
ME ALL WELD BEVELS PER SPEC. XL-MT-100 (LATEST REVISION) AND PF1.1 PARA 7A10 (5/28/18) ATTACH REPORTS			
STAMP PER MSS-SP75-19 ON O.D. A MINIMUM OF 2" FROM BEVEL & WELD SEAM			
SFI SERIAL NUMBER 231756-03			
SPECTRA SERIAL NUMBER PO PUR-5020-2010/21/AR-491			
HARDNESS TEST EACH PIECE (235 BHN MAX):			
PAINT EXTERIOR ONLY - AFTER INSPECTION			
PAINT RED FLOURESCENT STRIPE DOWN LENGTH OF FITTING IF CE> .42 CE=			
END PROTECT/PALLETIZE			
CUSTOMER INSPECTION MAY BE REQUIRED			
MPS & ITP FOR PF1.9 REV. 0 IS APPROVED 3/1/12 PER REX LITTRELL, SPECTRA ENERGY			

Base and weld charpies min 20/15
CE .45 or less
ME bevels
Base hardness
QT can only be used for Y52 and up
S:\PUBLIC\TAVELER\Spectra PF1.14\PF1.14 Travelers.XLSX