

Job Traveler

Job Number: 231756-04



Due Date: 11/08/2023

Sold EDGEN MURRAY CORPORATION
To: 18444 HIGHLAND ROAD
P.O. BOX 84160
BATON ROUGE, LA 70884-4160
United States

Ship
To: , LA
United States

Order No: 231756

Dated: 09/12/2023

Quote No: 20723

Customer: EDGEN119955

PO Num: RMS-300903

Ship Via: TIFFANY.BAKER@EDGENMURR

Priority: 3 - STANDARD

Part Number: *3CR2416Y

Product Code: CONCENTRIC REDUCER

Description: CR 24X16 .562 X .500-
WPHY65

Master Job No:

TAG: PUR-5020-2010480
LINE 11, AR-301PUR-5020-2010480
LINE 11, AR-302PUR-5020-2010480
LINE 11, AR-303

ES-PF1.14

Total Qty Open: 3 EA

Qty Posted: 0 EA

Qty To Make: 3

Start Date: 09/27/2023

Phone: 2,257,569,868

Contact: CLAIRE BLAY

Fax:

Job Notes

BCLD
B10608-1
CUT (3) @ 21.50 " EACH FROM 120" CYLINDER

Routing

Routed By:

Quantity 3

Step No	Work Cntr / Vendor	Setup	Cycle	Total	Pieces	--- Scheduled ---		Run
Dept	Operation	Time	Time	Time	Per Hour	Start	End	Quantity
10	FORGE 10					09/27/2023	09/27/2023	3
	CYLINDER CUT							



Job Number: 231756-04

Report Generated: 09/14/2023 9:13:10 AM

Page 1 of 4

20	FORGE 4 HAMMER	Large Hammer Hammer	10/09/2023 10/10/2023	3
				
30	FORGE 7 HEAT TREAT	Heat Treat Heat Treat	09/04/2024 09/05/2024	3
				
40	FORGE 5-6 FORGE BLAST	Forge Shotblast Forge Blast	09/05/2024 09/05/2024	3
				
50	PIPE 13 X RAY	Pipe X Ray X-Ray	09/05/2024 09/05/2024	3
				
60	E1 MACHINING	E1 Extender Expander	09/05/2024 09/05/2024	3
				
70	M9 MACHINING	M9 Medium Bullard Machining	03/10/2025 04/24/2025	3
				
80	STAMP 1 STAMP	Stamping	04/24/2025 04/24/2025	3
				
90	INSPECT 1 INSPECTION	Inspection 1	04/24/2025 04/24/2025	3
				



Time per Piece (HR):	0.00	0.00	0.00	0.00
Total Time for Job (HR):	0.00	0.00	0.00	

Materials List

Quantity					Quantity: 3	
Needed	On Hand	Posted	Short	Unit	Description	Sub- Assy Vendor
65.00000	249.00000	65.00000	0.00000	EA	OPI247552-W	NO SFI
					PI0 24-.75-Y52 W	
					Quantities from Bins/Lot Number:	
					BCLD (65.0)	

Marking Information:



FLEET-LINE

MADE IN USA
STEEL FORGINGS

BCLD
24X16
.562X.500
WPHY65
231756-04

DOCUMENT PACKAGE

Fitting Description _____

SFI Serial Number _____ 231756-04 _____

Spectra Serial Number PO _____ SEE FRONT SHEET _____

ME inspection report

MTR's

Reader Sheet for Radiography

Inspection sheet with actual dimensions

Heat Treat charts

Furnace Uniformity & Quarterly Recorder Calibration records

DIMENSIONAL INSPECTION SHEET FOR TEE

Does stamping match traveler? _____' _____' _____' _____' _____'

What is actual run bevel thickness? _____' _____' _____' _____' _____'

What is actual outlet bevel thickness? _____' _____' _____' _____' _____'

What is the length of the tee? _____' _____' _____' _____' _____'

What is actual ID of run at bevel?
(Check two places) _____' _____' _____' _____' _____'

What is actual ID of outlet?
(Check two places) _____' _____' _____' _____' _____'

What is M dimension? _____' _____' _____' _____' _____'

Is outlet centered? _____' _____' _____' _____' _____'

Are all three bevels $30^{\circ}+5^{\circ}/-0^{\circ}$? _____' _____' _____' _____' _____'

SFI serial number stamped on it? _____' _____' _____' _____' _____'

Spectra serial number stamped on it? _____' _____' _____' _____' _____'

Have all areas needing cosmetic grinding been marked? _____' _____' _____' _____' _____'

Grind weld seam inside and outside flush
for minimum 2" from ends.

FORM BY EXTRUSION PER CARD: _____

PRE CUT ENDS

IF ORDER SIZE IS LARGER THAN FURNACE LOAD, SERIALIZE UNDER CUTTER STAMP PRIOR TO HEAT TREAT

HEAT TREATMENT PER QCP 8.1 REV.1: (WITH TEST MAT'L B- _____)

HEAT TREAT 1/2 HR @ 1650°F **WATER QUENCH** FURNACE LOAD # _____

TEMPER 3/4 HR @ 1300 °F - AIR COOL - FURNACE LOAD# _____

IF QUENCH AND TEMPERED, RECORD THE FOLLOWING

TIME FROM FURNACE TO QUENCH TANK _____

TEMPERATURE OF QUENCH TANK _____

SHOTBLAST TO NEAR WHITE FINISH

100% RADIOGRAPH WELD SEAM PER SPEC. XL-RT-100 (LATEST REVISION) _____

DO NOT MACHINE UNTIL TESTING COMPLETE

MACHINE PER MSS-SP75-19 EXCEPT 14° MIN., 18° MAX INTERNAL TAPER

16 in. (SMALL) END-STRAIGHT BORE I.D. TO 14.500 ± 1/16
(FACE, TAPER BORE, AND BEVEL)

ME ALL WELD BEVELS PER SPEC. XL-MT-100 (LATEST REVISION) AND PF1.1 PARA 7A10 (5/28/18) ATTACH REPORTS

STAMP PER MSS-SP75-19 ON O.D. A MINIMUM OF 2" FROM BEVEL & WELD SEAM

SFI SERIAL NUMBER 231756-04

SPECTRA SERIAL NUMBER PO SEE FRONT SHEET

HARDNESS TEST EACH PIECE (235 BHN MAX): _____

PAINT EXTERIOR ONLY - AFTER INSPECTION

PAINT RED FLOURESCENT STRIPE DOWN LENGTH OF FITTING IF CE> .42 CE= _____

END PROTECT/PALLETIZE

CUSTOMER INSPECTION MAY BE REQUIRED

MPS & ITP FOR PF1.9 REV. 0 IS APPROVED 3/1/12 PER REX LITRELL, SPECTRA ENERGY

Base and weld charpies min 20/15

CE .45 or less

ME bevels

Base hardness

QT can only be used for Y52 and up

S:\PUBLIC\TAVELER\Spectra PF1.14\PF1.14 Travelers.XLSX